

Notice of Allowability	Application No.	Applicant(s)		
	10/537,834	RAHIMO ET AL.		
	Examiner	Art Unit		
	Julio J. Maldonado	2823		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>amendment filed 10/27/2006</u> .				
2. The allowed claim(s) is/are <u>2 and 3</u> .				
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)	5 🗖			
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal Pa	• •		
	6. ☑ Interview Summary (PTO-413), Paper No./Mail Date 200070119			
Paper No./Mail Date				
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		8. Examiner's Statement of Reasons for Allowance		
	9.			

Application/Control Number: 10/537,834 Page 2

Art Unit: 2823

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Scott W. Cummings on 01/19/2007.

The application has been amended as follows: In claim 2, line 3, where applicants recite, "...an essentially planar...", change to --a planar--, in line 6, where applicants recite "...poly-silicon...", change to --polysilicon--, in lines 9 – 10, where applicants recite "...in particular a shallow base region...", change to --comprising a shallow base region--, in lines 12 – 13, where applicants recite, "...in particular a source region...", change to --comprising a source region--, and in lines 27 – 29, where applicants recite, "...the third doped region extends into the substrate beneath the openings, electrically connecting the third dopes region beneath the outer cell window region to the first main contact.", change to --the third doped region beneath the outer cell window region is electrically connected to the first main contact--.

Allowable Subject Matter

2. Claims 2 and 3 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach a cell window surrounded by a gate electrode and having at least two isolated strips and a contact region between said strips as disclosed in claim 2.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 3. Applicants are encouraged, where appropriate, to check Patent Application Information Retrieval (PAIR) (http://portal.uspto.gov/external/portal/pair) which provides applicants direct secure access to their own patent application status information, as well as to general patent information publicly available.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Julio J. Maldonado whose telephone number is (571) 272-1864. The examiner can normally be reached on Monday through Friday.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith, can be reached on (571) 272-1907. The fax number for this group is 571-273-8300. Updates can be found at http://www.uspto.gov/web/info/2800.htm.

Julio J. Maldonado Patent Examiner Art Unit 2823 Application/Control Number: 10/537,834

Art Unit: 2823

Julio J. Maldonado January 22, 2007 Page 4

George Fourson
Primary Examiner